Sliding Door

INSTALLATION INSTRUCTIONS



Tools Required

Drill



6mm Masonry Drill
3.2mm HSS Drill



Spirit level

Sealant Gun



Tape Measure

Pencil

PH2 TYPE
Screwdriver

Please not hand tools **NOT** supplied.

IMPORTANT

These instructions assume that installation is done against solid/tiled walls.

The wall plugs supplied with the installation kit are for use on solid walls.Hollow or stud-partition walls will require alternative fixings.Please consult with a reputable trades person or hardware supplier for the correct type of fixing.

It may also be necessary to consult your tiling supplier about the correct method drilling your tiles.

Components And Box Contents



NO.	Code	Description	Qty	NO.	Code	Description	Qty
1	BNSL-01	Left Cover caps	1	13	BNSL-13	Screw M4*8	2
2	BNSL-02	Cover Caps	2	14	BNSL-14	Vertical Seal	2
3	BNSL-03	Wall Profile	2	15	BNSL-15	Chrome Piece	2
4	BNSL-04	Fixed Profile	2	16	BNSL-16	Rail Profile	2
5	BNSL-05	U-Shape Seal	2	17	BNSL-17	Bottom Roller	2
6	BNSL-06	Fixed Glass Panel	2	18	BNSL-18	Handle	1
7	BNSL-07	Wall Plug	8	19	BNSL-19	Right Cover Caps	1
8	BNSL-08	Screw cover Caps	8	20	BNSL-20	Magnetic Profile	1
9	BNSL-09	Screw M4*30	8	21	BNSL-21	Magnetic Seal A	1
10	BNSL-10	Screw M4*10	8	22	BNSL-22	Magnetic Seal B	1
11	BNSL-11	Seals	2	23	BNSL-23	Top Roller	2
12	BNSL-12	Stopper	2	24	BNSL-24	Moving Glass Panel	1

Left



Right



Installation Steps

Step1



1-A



1-B



Step2







Step3





Step4





Step5





Step6





Step7



7-A



7-B



Step8



8-A



8-B



Step9



9-A



9-B



Step10

10-A



10-B



Step11



11-A



11-B





Allow 24 hours for silicone to dry before use.

Silicone on the outside edge only

Sliding Door With Side Panel

Components And Box Contents



NO.	Code	Description	Qty	NO.	Code	Description	Qty
1	BNSL-01	Left Cover caps	1	15	BNSL-15	Chrome Piece	2
2	BNSL-02	Cover Caps	2	16	BNSL-16	Rail Profile	2
3	BNSL-03	Wall Profile	2	17	BNSL-17	Bottom Roller	2
4	BNSL-04	Fixed Profile	2	18	BNSL-18	Handle	1
5	BNSL-05	U-Shape Seal	2	19	BNSL-19	Right Cover Caps	1
6	BNSL-06	Fixed Glass Panel	2	20	BNSL-20	Side Panel	1
7	BNSL-07	Wall Plug	16	21	BNSL-21	Corner Profile	1
8	BNSL-08	Screw cover Caps	16	22	BNSL-22	Cover Caps	1
9	BNSL-09	Screw M4*30	16	23	BNSL-23	Magnetic Profile	1
10	BNSL-10	Screw M4*10	16	24	BNSL-24	Magnetic Seal A	1
11	BNSL-11	Seals	2	25	BNSL-25	Magnetic Seal B	1
12	BNSL-12	Stopper	2	26	BNSL-26	Top Roller	2
13	BNSL-13	Screw M4*8	2	27	BNSL-27	Moving Glass Panel	1
14	BNSL-14	Vertical Seal	2				

Left



Right



Installation Steps







Step2





Step3



.3-A

outside

3-B

M4x30



outside

Step4





Step5



Step6





Step7





Step8



8-A



8-B



Step9



9-A



9-B



Step10



10-A



10-B



Step11



11-A



11-B



Step12



12-A



12-B



Step13



Allow 24 hours for silicone to dry before use.

Silicone on the outside edge only